



GET IN TOUCH

krakensports.ca

67 Wharncliffe Rd. N London Ontario N6H2A5

Phone: 519 860 3474

Email: sales@krakensports.ca



© KRAKEN SPORTS ALL RIGHTS RESERVED.
KRAKEN SPORTS IS A REGISTERED TRADEMARK.



The images in the catalog were provided by Matt Sullivan, Sam Glenn-Smith, Rob Stansfield, Robbin Chang.
Thank you very much we're lucky to have you all as part of our team.
MSRP subject to change without notice.

INNOVATIVE LIGHTING

MSRP:\$850USD

KR-S160



Power:160Ws
Color temperature: 5500K
Guide Number:16 (1 meter & ISO100)
Mode: M, Multi
Photoc Mode: S1,S2
Coverage Angle:Over 140°
Recycle time to full power : 1.6 seconds
Power Levels: 7 levels(40Ws,80Ws and 160Ws with 9 levels minor adjustment)
No. flash at full power: Approx. 400
Battery: 4000mAH 7.2V lithium-ion battery pack with type C charging port
Spot LED light power: 500 lumens & 15 degrees beam angle
Power Levels of Spot LED light: 100%, 50%
Depth rating: 100m
Dimensions: 84mm x 100mm x 194mm
Weight: 1210g on land & 300g under water

Ball mount and YS adapter included
Sea&Sea cable port and fibre-optical port(7mm hole port & M11 threads)
180° rotatable OLED display

MSRP:\$599USD

KR-S80



Power:80Ws
Color temperature: 6000K
Guide Number:11 (1 meter & ISO100)
Mode: Manual
Photoc Mode: S1,S2,Multi
Coverage Angle:Over 140°
Recycle time to full power:1.0 seconds
Power Levels: 6 levels (80Ws,40Ws,20Ws,10Ws,5Ws,2Ws)
No. flash at full power: Approx. 800
Battery: 2 x 21700 battery(4000mAH) with type C charging port
Video light power: 3000 lumens & 120 degrees beam angle
Power Levels of Video light: 100%, 75%, 25%,10%, 0%
Depth rating: 100 m / 330 feet
Dimensions: 72mm * 73mm * 182mm
Weight: 980g on land & 375g under water

Ball mount and YS adapter included
Fibre-optical port(7mm hole port & M11 threads)
180° rotatable 7 Segment Led Display

MSRP: \$74.99USD



NR-800 III

The Perfect Backup

Lumens:	800 (18650 lithium) 500 (3xAAA)
Beam Angle:	10 Degrees
Burn Time:	120 minutes (18650) 90 minutes (3xAAA)
Switch:	Push button with battery level indicator
Modes:	100% / 50% / 25% / SOS / Strobe
Depth Rating:	330ft/100m
Dimensions:	33.5 mm (D) * 139 mm (L)
Weight:	120g
Included in Box:	Light, AAA holder, Lanyard, Lithium Shim, Spare Orings



DIVE LIGHTS

MSRP:\$99USD



NR-1000 ///

The perfect backup, made better

- Lumens:** 1000 Lumens
- Beam Angle:** 15 Degrees
- Burn Time:** 90 minutes @ 100% power
- Switch:** Push button with battery level indicator
- Modes:** 100% / 50% / 25% / Blink / SOS / Strobe
- Depth Rating:** 330ft/100m
- Dimensions:** 30.5 mm (D) * 140 mm (L)
- Weight:** 165g
- Included in Box:** Light, Battery, Charging Cable, Lanyard, Spare Orings

MSRP:\$165USD



NR-1800 ///

The ideal diving companion

- Lumens:** 1800 Lumens
- Beam Angle:** 6 Degrees
- Burn Time:** 90 minutes @ 100% power
- Switch:** Push button with battery level indicator
- Modes:** 100% / 50% / 25% / Blink / SOS / Strobe
- Depth Rating:** 330ft/100m
- Dimensions:** 42 mm (D) * 164 mm (L)
- Weight:** 249g on land / 70g underwater
- Included in Box:** Light, Battery, Charging Cable, Spare Orings, Lanyard, Soft Carry Bag

MSRP:\$189USD



NR-1800Z ///

Narrow and wide, This light does them both

- Lumens:** 1800 Lumens
- Beam Angle:** 10~45 Degrees
- Burn Time:** 90 minutes @ 100% power
- Switch:** Push button with battery level indicator
- Modes:** 100% / 50% / 25% / Blink / SOS / Strobe
- Depth Rating:** 330ft/100m
- Dimensions:** 55.5mm (D) * 174.3 mm (L)
- Weight:** 290g on land / 140g underwater
- Included in Box:** Light, Battery, Charging Cable, Lanyard, Spare Orings

MSRP: \$199.99 USD



NR-2500 ///

Primary light brightness, with optional Goodman glove

- Lumens:** 2500 Lumens
- Beam Angle:** 6 Degrees
- Burn Time:** 85 minutes @ 2500 lumens entire time no drop
- Switch:** Push button with battery level indicator
- Modes:** 100%/75%/50%/25%/Blink/SOS/Strobe
- Depth Rating:** 330ft/100m
- Dimensions:** 54 mm (D) * 176 mm (L)
- Weight:** 400g on land / 190g underwater
- Included in Box:** Light, Battery, Charging Cable, Spare Orings, Lanyard, Soft Carry Bag

MSRP:\$189USD



Hydra 1800 WSR ///

Brightness:	1800 lumens Wide / 1500 lumens Spot
Depth Rating:	100m / 330ft
Beam:	Wide Light 110 degrees / Spot Light 20 degrees
Color Temperature:	5000K Wide / 6500K Spot
Switch:	Push button with battery level indicator
Modes:	Wide / Spot / Red / Burst
Power Level:	100% / 50% / 25%
Burn Time:	80 minutes (100% flood)
Charge Time:	4.5 hours from zero
Dimensions:	38 mm (D) * 146 mm (L)
Weight:	205g on land & 105g underwater
Included in box:	Light, Battery, Light gatherer, Charging Cable, YS Mount, Lanyard, Spare Orings, Soft Carry Bag

MSRP:\$249USD



LTD 3000 ///

Brightness:	3000 lumens Wide / 2000 lumens Spot
Depth Rating:	100m / 330ft
Beam:	Wide Light 100 degrees / Spot Light 15 degrees
Color Temperature:	5500K Wide / 6500K Spot
Switch:	Push button with battery level indicator
Modes:	Wide / Spot
Power Level:	100% / 50% / 25%
Burn Time:	50 minutes (100% Flood)
Charge Time:	6.5 hours from zero
Dimensions:	56.5 mm (D) * 161.1 mm (L)
Weight:	385g on land & 215g underwater
Included in box:	Light, Battery, Charger/AC adapter, Charging Cable, YS Mount, Ball mount, Lanyard, Spare Orings, Soft Carry Bag

MSRP:\$325USD



Hydra 3000 WSRGBU ///

Brightness:	3000 lumens Wide / 2000 lumens Spot
Depth Rating:	100m / 330ft
Beam:	Wide Light 110 degrees / Spot Light 15 degrees
Color Temperature:	5500K Wide / 6500K Spot
Switch:	Push button with battery level indicator
Modes:	Wide / Spot / Multi colour(Red & Green & Blue & UV) / Burst
Power Level:	Wide and Spot Mode : 100% / 50% / 25%/0%(Only in Burst Mode) Multi colour Mode : 100% Red / 100% Green / 100% Blue / 100% UV
Burn Time:	60 minutes (100% flood)
Charge Time:	6.5 hours from zero
Dimensions:	56.5 mm (D) * 175.6 mm (L)
Weight:	400g on land & 200g underwater
Included in box:	Light, Battery, Charger/AC adapter, Charging Cable, YS Mount, Ball mount, Lanyard, Spare Orings, Soft Carry Bag

MSRP:\$539USD



Hydra 6000 WRGBU V2 ///

Brightness:	5000 Lumens Constant / 6000 Lumens Burst / 6000 Lumens Turbo
Depth Rating:	100m / 330ft
Beam:	White light: 120 degrees on land / 100 degrees underwater
Color Temperature:	5000K @ CRI 90
Switch:	Triple buttons with battery level indicator
Modes:	White / Red / Green / Blue / UV / Preset color / Automatic RGB / Burst / SOS
White / Red / Green / Blue / UV Light Power Level	5 levels (20%,40%,60%,80%,100%,120%)
Burn Time:	60 minutes (at 100% brightness),45 minutes (at 120% brightness)
Battery:	3 * 21700 wrapped to single cell
Charge Time:	approx. 3 hours from zero
Dimensions:	62 mm (D) * 147 mm (L)
Weight:	690g on land including battery, 290g underwater including battery
Included in box:	Light, Battery Pack, Charger/AC adapter, UCB C Cable, YS Mount, Ball Mount, Spare Orings, Lanyard



MSRP: \$750USD



Hydra 8000 WRGBU V2 ///

Brightness:	6000 Lumens Constant / 8000 Lumens Burst / 8000 Lumens Turbo
Depth Rating:	100m / 330ft
Beam:	White light: 120 degrees on land / 100 degrees underwater
Color Temperature:	5000K @ CRI 90
Switch:	Triple buttons with battery level indicator
Modes:	White / Red / Green / Blue / UV / Preset color / Automatic RGB / Burst / SOS
White / Red / Green / Blue /	
UV Light Power Level	6 levels (20%,40%,60%,80%,100%,120%)
Burn Time:	60 minutes (at 100% brightness),40 minutes (at 120% brightness)
Battery:	3 * 21700 wrapped to single cell
Charge Time:	approx. 3 hours from zero
Dimensions:	62 mm (D) * 147 mm (L)
Weight:	690g on land including battery, 290g underwater including battery
Included in box:	Light, Battery Pack, Charger/AC adapter, UCB C Cable, YS Mount, Ball Mount, Spare Orings, Lanyard

MSRP:\$799USD



Hydra 12000 WRGBU ///

Brightness:	10000 Lumens Constant / 12000 Lumens Burst / 12000 Lumens Turbo
Depth Rating:	100m / 330ft
Beam:	White light: 120 degrees on land / 120 degrees underwater
Color Temperature:	5600K @ CRI 90
Modes:	White / Red / Green / Blue / UV / Preset color / Automatic RGB / Burst / SOS
White / Red / Green / Blue	
UV Light Power Level:	11 levels (0%,10%,20%,30%,40%,50%,60%,70%,80%,90%,100%)
Burn Time:	60 minutes (at 100% brightness)
Battery:	4 * 21700 wrapped to single cell
Charge Time:	approx. 3.5 hours from zero
Dimensions:	79 mm (D) * 178 mm (L)
Weight:	1035g on land including the battery, 450g underwater including the battery
Included in box:	Light, Battery Pack, Charger/AC adapter, USB C Cable, YS Mount, Ball Mount, Spare Orings, Lanyard

MSRP:\$649USD



LTD 12000 ///

Brightness: 12000 Lumens Wide Light / 1800 Lumens Spot Light
Depth Rating: 100m / 330ft
Beam Angle: Wide Light: 120 degrees on land / 120 degrees underwater
 Spot Light: 20 degrees on land / 15 degrees underwater
Color Temperature: 6000K @ CRI 90
Modes: Wide / Spot / Burst / Flashing signal /SOS
White / Spot Level 5 levels Wide and 3 levels Spot
Burn Time: approx.35 minutes at Wide Light 100% brightness(10000 Lumens)
Battery: 4 * 21700 wrapped to single cell
Charge Time: approx. 3.5 hours from zero
Dimensions: 73 mm (D) * 157 mm (L)
Weight: 910g on land including the battery, 430g underwater including the battery
Included in box: Light, Battery Pack, Charger/AC adapter, USB C Cable, YS Mount, Ball Mount, Spare Orings, Lanyard

MSRP:\$539USD



Solar Flare Mini 10000 ///

Brightness: 8000 Lumens Constant /12000Lumens Burst
Depth Rating: 100m / 330ft
Beam: White light: 120 degrees on land / 120 degrees underwater
Color Temperature: 5600K @ CRI 90
Switch: Triple buttons with battery level indicator
Modes: Wide / Burst / Flashing signal / SOS
Power Level: 6 levels Wide
Burn Time: 100 minutes at Wide 100% brightness
Charge Time: approx. 3 hours from zero
Dimensions: 72.5 mm (D) * 154.5 mm (L)
Weight: 710g on land including battery / 335g underwater including battery
Included in box: Light, Battery Pack, Charger/AC adapter, USB C Cable, YS Mount, Ball Mount, Spare Orings, Lanyard

MSRP:\$850USD



Solar Flare Mini 18000 ///

Brightness: 15000 Lumens Constant / 18000 Lumens Burst
Depth Rating: 100m / 330ft
Beam: White light: 120 degrees on land / 120 degrees underwater
Color Temperature: 5600K @ CRI 90
Switch: Triple buttons with battery level indicator
Modes: White / Burst / SOS
Power Level: 5 levels (20%,40%,60%,80%,100%,120%)
Burn Time: 60 minutes (at 100% brightness)
Battery: 8 * 21700 wrapped to single cell
Charge Time: approx. 7 hours from zero
Dimensions: 79 mm (D) * 238 mm (L)
Weight: 1345g on land including battery, 550g underwater including battery
Included in box: Included in box: Light, Battery Pack, Charger/AC adapter, USB C Cable, YS Mount, Ball Mount, Spare Orings, Lanyard

MSRP:\$1150USD



Hydra 18000 WRGBU ///

Brightness: 15000 Lumens Constant / 18000 Lumens Burst
Depth Rating: 100m / 330ft
Beam: White light: 120 degrees on land / 120 degrees underwater
Color Temperature: 5600K @ CRI 90
Modes: White / Red / Green / Blue / UV / Preset color / Automatic RGB / Burst / SOS
Power Level: 1 levels (0%,10%,20%,30%,40%,50%,60%,70%,80%,90%,100%,120%)
Burn Time: 60 minutes (at 100% brightness)
Battery: 8 * 21700 wrapped to single cell
Charge Time: approx. 7 hours from zero
Dimensions: 79 mm (D) * 252 mm (L)
Weight: 1400g on land including the battery, 620g underwater including the battery
Included in box: Light, Battery Pack, Charger/AC adapter, USB C Cable, YS Mount, Ball Mount, Spare Orings, Lanyard

MSRP:\$460USD



NR-LEP01 ///

Brightness:	8 Watts Spot LEP/2500 Lumens Wide LED
Depth Rating:	100m / 330ft
Beam:	Spot LEP 3 degrees / Wide LED 100 degrees
Color Temperature:	6500K LED / 5000K LEP
Switch:	Push button with battery level indicator
Modes:	Wide / Spot
Power Level:	100% / 50% / 25%
Burn Time:	120 minutes @100% Spot LEP/ 60 minutes @100% Wide LED
Charge Time:	6.5 hours from zero
Dimensions:	54.5 mm (D) * 162 mm (L)
Weight:	388g on land & 211g underwater
Included in box:	Light, Battery, Charging Cable, Lanyard, Spare Orings, Soft Carry Bag

MSRP:\$245USD



Snoot V2 ///

Beam Angle:	15mm Diameter @ 100mm Underwater
Guide Number:	32 (100mm Distance@ISO100 measured underwater)
Brightness:	Over 4,500,000 lux (100mm Distance measured Underwater)/800 Lumens
Modes:	Constant/Burst
Power Levels :	100%, 75%, 50%, 25%, 5%
Colour temperature:	6500K
Power Source :	Power Source : 1 x 21700 Lithium-ion battery (5000mAh) Lithium Battery with Type-C USB Charging Port
Burn Time:	80 min @100% brightness
LED Bulb lifetime:	over 50,000 hours
Depth :	100 m / 330 feet
Dimension:	38mm D x 180mm L
Weight(Including Battery) :	240g On Land/105g Underwater

KR-MON04/5"3000 Nit Ultra Bright Monitor

MSRP:\$1599USD



Kraken Ultra Bright 5.5" 4K Underwater Monitor General Features

- Waterproof 80m/266ft
- 3000 nit Brightness
- 4K HDMI signal input
- 3840x2160p (30/29.97/25/24/23.98 Hz) / 4096x2160p (24Hz)
- Burn Time:More than 150minutes @100% brightness
- Analog stereo L/R, embedded audio display
- Histogram
- Focus assist - focus edge can be red, green, or blue
- Zebra exposure and false colour function
- Check field - red, green, blue, mono Anamorphic mode
- Weight: 1680g on land/260g underwater
- Dimensions:178.5mm*15mm*7mm
- Battery:2 * 21700 battery with type C charging port



MSRP:\$1999USD

KR-MON03/7"2200 Nit Ultra Bright Monitor ///

Kraken Ultra Bright 7" 4K Underwater Monitor

General Features

- Waterproof 80m/266ft
- 2200nit Brightness
- 4K HDMI signal input
- 3840×2160p (30/29.97/25/24/23.98 Hz) / 4096×2160p (24Hz)
- Burn Time:140 minutes @100% brightness
- Analog stereo L/R, embedded audio display
- Histogram
- Focus assist - focus edge can be red, green, or blue
- Zebra exposure and false colour function
- Check field - red, green, blue, mono

Anamorphic mode

- Weight: 230g underwater ,1795g on land
- Dimensions:203mm*147mm*64.5mm
- Battery:2 * 21700 battery with type C charging port





SMART HOUSING! (PRO)

Kraken Smart Housing is a versatile housing that will fit many smart phones, regardless of iOS or Android operating system. If your phone fits, it will work! Simply ensure Bluetooth is turned on in your device, connect to the **Kraken Smart Housing** app and put the phone into the housing! Confirm the housing is protected by using the vacuum sealing system. Enjoy diving!



MSRP: \$499USD

KRH07/Smart Housing V2 PRO

Depth Rating: 85 meters / 280 feet

Superior ergonomic design and free camera app

Built-in vacuum system

Vacuum system lets you clearly know if the housing is sealed before diving. This is important to keep your devices safe

Built-in depth detector

The built-in depth sensor will help you determine the depth position when you are diving. You can also add a watermark with the depth to your photos and videos

Built-in
Depth Sensor

MSRP: \$399USD

KRH08/Smart Housing V2

Depth Rating: 85 meters / 280 feet

Superior ergonomic design and free camera app

Built-in vacuum system

Vacuum system lets you clearly know if the housing is sealed before diving. This is important to keep your devices safe



Optional Red filter



Optional Lens adapter

WATERPROOF CASE



Made for Olympus
TG-5/TG-6/TG-7

MSRP:\$880USD

TG-Pro ///

Housing body:	Aluminium alloy
Surface treatment:	Hard anodised
Display window:	Abrasion resistant polycarbonate
Dimensions:	161.4mm*74.2mm**121.2mm
Weight:	685g (land)
Buoyancy:	Slightly negative
Depth rating:	100 metres



MSRP:\$349USD



Ring Light 3000 WRGB ///

Brightness:	2400 Lumens Constant / 3000 Lumens Burst
Depth Rating:	100m / 330ft
Beam:	90 degrees
Color Temperature:	5600K@CRI 80
Switch:	Triple buttons with battery level indicator
Modes:	White / Red / Green / Blue / Preset color / Automatic RGB / Burst
Power Level:	6 levels of white light
Burn Time:	About 50 minutes
Charge Time:	approx. 4.5 hours from zero
Dimensions:	140mm x 140mm x 36mm
Weight:	330g on land including battery / 140g underwater including battery
Included in box:	Light, Battery, USB C Cable, Spare Orings, Lanyard, Soft Carry Bag

RING LIGHT



LENS SERIES



KRL01 24mm M67 0.53X

UNDERWATER ULTRA-WIDE ANGLE
CONVERSION LENS

MSRP:\$899USD



FEATURES:

Lens Construction :	6 elements; 5 groups (5G1P)
Magnification :	0.53X
Compatible Camera (Up to) :	Sensor Size:17.3mm X 13mm (Micro 4/3) Camera Lens:24mm(35mm Equivalent) - F/1.4
Field of View Conversation :	24mm (84.1°) → 6.9mm (145°) 28mm (75.4°) → 12.8mm (118.6°) 35mm (63.4°) → 20mm (94.7°)
Dome Lens :	Optical Grade Polycarbonate Resin
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M67 X P0.75
Dimension :	Ø170 X 104mm
Weight (Air) :	1430g
Weight (Underwater) :	640g
Depth Rate :	60m (197ft)

KRL02 24mm M52 0.47X

UNDERWATER ULTRA-WIDE ANGLE
CONVERSION LENS

MSRP:\$475USD



FEATURES:

Lens Construction :	5 elements; 5 groups (4G1P)
Magnification :	0.47X
Compatible Camera (Up to) :	Sensor Size: 6.4mm X 4.8mm(1/2") Camera Lens: 24mm(35mm Equivalent) - F/1.4
Field of View Conversation :	24mm (84.1°) → 5.7mm (150°) 28mm (75.4°) → 10.8mm (127°) 35mm (63.4°) → 17.2mm (103.6°)
Dome Lens :	Optical Grade Polycarbonate Resin
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M52 X P0.75
Dimension :	Ø150 X 88mm
Weight (Air) :	690g
Weight (Underwater) :	255g
Depth Rate :	60m (197ft)

KRL07 Cell 24mm M52 0.57X

UNDERWATER ULTRA-WIDE ANGLE
CONVERSION LENS

MSRP:\$299USD



FEATURES:

Lens Construction :	4 elements; 4 groups (3G1P)
Magnification :	0.57X
Compatible Camera (Up to) :	Lens Design for Cell Phone Camera Sensor Size: 7.6mm X 5.7mm(1/1.7") Camera Lens: 24mm(35mm Equivalent)-F/1.4
Field of View Conversation :	24mm (84.1°) → 10mm (130°) 28mm (75.4°) → 15.6mm (108.5°) 35mm (63.4°) → 22.6mm (87.46°)
Dome Lens :	Optical Grade Polycarbonate Resin
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M37 X P0.75
Dimension :	Ø 77X 53.5mm
Weight (Air) :	226g
Weight (Underwater) :	128g
Depth Rate :	80m (197ft)

KRL09S 24mm M67 0.32X

UNDERWATER ULTRA-WIDE ANGLE
CONVERSION LENS

MSRP:\$1050USD



FEATURES:

Lens Construction :	7 elements; 6 groups (6G1P)
Magnification :	0.32X
Compatible Camera (Up to) :	Sensor Size: 36mm X 24mm(Full Frame) Camera Lens: 60mm(35mm Equivalent) - F/2.8 60mm(39.7o) > 4.9mm(154.8o)
Field of View Conversation	
Dome Lens	Optical Grade Polycarbonate Resin
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M67 X P0.75
Dimension :	Ø72 X 54mm
Weight (Air) :	367g
Weight (Underwater) :	212g
Depth Rate :	60m (197ft)

KRL11 24mm M52 0.72X

UNDERWATER STANDARD WIDE ANGLE
CONVERSION LENS

MSRP:\$225USD



FEATURES:

Lens Construction :	2 elements; 2 groups (1G1P)
Magnification :	0.72X
Compatible Camera (Up to) :	Sensor Size: 6.4mm X 4.8mm(1/2") Camera Lens: 24mm (35mm Equivalent) - F/1.4
Field of View Conversation :	24mm(84.1°) > 21.5mm(90°) 28mm(75.4°) > 25.7mm(80.4°) 35mm(63.4°) > 34.1mm(64.8°)
Dome Lens :	Optical Grade Polycarbonate Resin
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M52 X P0.75
Dimension :	Ø92.8 X 50.6mm
Weight (Air) :	240g(Air)
Weight (Underwater) :	80g(Underwater)
Depth Rate :	60m (197ft)

KRL12 24mm M67 0.72X

UNDERWATER STANDARD WIDE ANGLE
CONVERSION LENS

MSRP:\$259USD



FEATURES:

Lens Construction :	2 elements; 2 groups (1G1P)
Magnification :	0.72X
Compatible Camera (Up to) :	Sensor Size: 17.3mm X 13mm (Micro 4/3) Camera Lens: 24mm (35mm Equivalent) - F/1.4
Field of View Conversation :	24mm(84.1°) > 21.5mm(90°) 28mm(75.4°) > 25.7mm(80.4°) 35mm(63.4°) > 34.1mm(64.8°)
Dome Lens :	Optical Grade Polycarbonate Resin
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M67 X P0.75
Dimension :	Ø116.8 X 61.8mm
Weight (Air) :	335g(Air)
Weight (Underwater) :	40g(Underwater)
Depth Rate :	60m (197ft)

KRL03 M67 +12

UNDERWATER CLOSE-UP LENS

MSRP:\$245USD



FEATURES:

Lens Construction :	3 elements; 3 groups
Magnification :	0.47X
Compatible Camera (Up to) :	Sensor Size: 13.2mm X 8.8mm (1")
Diopter (Underwater Focal length) :	+12 (83.33mm)
Focusing Range :	10mm - 65mm
Magnification :	1.8X (General Application)
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M67 X P0.75
Dimension :	Ø72 X 45.6mm
Weight (Air) :	330g
Weight (Underwater) :	170g
Depth Rate :	60m (197ft)

KRL05S M67 +13

UNDERWATER ACHROMATIC
CLOSE-UP LENS

MSRP:\$425USD



FEATURES:

Lens Construction :	4 elements; 3 groups
Compatible Camera (Up to) :	Sensor Size : 36mm X 24mm (135mm Full Frame) Camera Lens: 60mm - 105mm
Diopter (Underwater Focal length) :	+13 (76.92mm)
Working Distance :	60mm - 85mm (From 1st Lens Surface)
Max. Magnification :	x2.5 (Area Ratio x6.25) w/105mm F2.8 Macro Lens
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M67 X P0.75
Dimension :	Ø71.6 X 42.4mm
Weight (Air) :	410g
Weight (Underwater) :	280g
Depth Rate :	60m (197ft)

KRL06S APO M67 +23

UNDERWATER APOCHROMATIC
CLOSE-UP LENS

MSRP:\$599USD



FEATURES:

Lens Construction :	5 elements; 3 groups
Compatible Camera (Up to) :	Sensor Size: 36mm X 24mm (135mm Full Frame) Camera Lens: 60mm - 105mm
Diopter (Underwater Focal length) :	+23 (43.48mm)
Working Distance :	27mm - 36mm (From 1st Lens Surface)
Max. Magnification :	x4.2 (Area Ratio x17.64) w/105mm F2.8 Macro Lens
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M67 X P0.75
Dimension :	Ø71.8 X 60.3mm
Weight (Air) :	593g
Weight (Underwater) :	379g
Depth Rate :	60m (197ft)

KRL08S M67 +6

UNDERWATER ACHROMATIC
CLOSE-UP LENS

MSRP:\$299USD



FEATURES:

Lens Construction :	4 elements; 3 groups
Compatible Camera (Up to) :	Sensor Size: 36mm X 24mm (135mm Full Frame) Camera Lens: 60mm - 105mm
Diopter (Underwater Focal length) :	+6 (166.67mm)
Working Distance :	80mm - 160mm (From 1st Lens Surface)
Max. Magnification :	x1.5 (Area Ratio x2.25) w/105mm F2.8 Macro Lens
Glass / Coating :	Optical Glass / Multi-Layer BBAR Coating
Lens Barrel :	Aluminum with Type II Anodizing
Mounting :	M67 X P0.75
Dimension :	Ø72 X 54mm
Weight (Air) :	367g
Weight (Underwater) :	212g
Depth Rate :	60m (197ft)

ACCESSORIES



KR-SN03
Snoot for Hydra 4000/6000/6000V2/8000V2

MSRP:\$159USD ///



KR-SN04
Snoot for Hydra8000

MSRP:\$159USD ///



KR-SN05
Snoot for LTD10000/12000

MSRP:\$159USD ///



KR-SN06
Snoot for KR-S160/Strobe

MSRP:\$159USD ///



KR-SN07
Snoot for KR-S80/Strobe

MSRP:\$159USD ///



Single handle universal anodized aluminum

MSRP:\$105USD · KR-TR07 ///



Dual handle universal anodized aluminum

MSRP:\$145USD · KR-TR08 ///



Dual handle action camera tray

MSRP:\$99USD - KR-TR09 ///



Goodman Handle

MSRP:\$59.99USD · KR-HDO1 ///



Lens QD Set

(includes 1 housing mount, and 1 lens mount)

MSRP:\$49.99USD · KR-LSQD-PAIR ///



M67 adapter for Smart Housing (Does M67/M52)

MSRP:\$49.99USD · KR-AD-M67 ///



Red filter for smart housing

MSRP:\$24.99USD



Optical Cable 12" unstretched (Short)
MSRP:\$39.99USD · KR-OC01 (12") ///



Optical Cable 24" unstretched (Long)
MSRP:\$49.99USD · KR-OC02 (24") ///



Olympus PT-059 optic cable
MSRP:\$59.99USD · KR-OC03 ///



Multi Cores Optical Cable
MSRP:\$69USD · KR-OC04 ///



Remote control for Hydra/LTD/Strobe
MSRP:\$215USD RC-02 ///




M67x0.75 & M52x0.75
Lens Caddy ///



KR-FA05 80 X 280mm / 680g
MSRP:\$195USD · Float Arm Adjustable ///



KR-FA03 55 x 220mm / 200g
MSRP:\$79.99USD · Float Arm ///



KR-FA04 80 x 260mm / 695g
MSRP:\$160USD · Float Arm ///



KR-S160 Beam Restrictor
MSRP:\$29.99USD · KR-LR01 ///



Dark Blue Filter for LTD 7000/10000
Hydra 8000/15000/18000
Solar Flare Mini 15000/18000 ///

MSRP:\$105USD FT04 ///



Light Blue Filter for LTD 7000/10000
Hydra 8000/15000/18000
Solar Flare Mini 15000/18000 ///

MSRP:\$105USD FT03 ///



Float Block for KR-S160 (400g)
MSRP:\$34.99USD · KR-FB01 ///



Float Block for Hydra 18K/and SF18K (640g)
MSRP:\$39.99USD · KR-FB02 ///



Float Block for Hydra 12K/LTD 10K/12K(450g)
MSRP:\$34.99USD · KR-FB03 ///



Float Block for Hydra 6K V2/8K V2/SF10000(370g)
MSRP:\$34.99USD · KR-FB04 ///



Ø60*L65mm for Metal Arm (125g)
MSRP:\$14.99USD · KR-FB05 ///



Ø80*L65mm for Metal Arm (240g)
MSRP:\$24.99USD · KR-FB06 ///



Ø90*L65mm for Metal Arm (315g)
MSRP:\$29USD · KR-FB07 ///



0.6m Waterproof HDMI Cable
MSRP:\$215USD · KR-CB01 ///



3m Waterproof HDMI Cable
MSRP:\$230USD · KR-CB02 ///



5m Waterproof HDMI Cable
MSRP:\$250USD · KR-CB03 ///



10m Waterproof HDMI Cable
MSRP:\$270USD · KR-CB04 ///





Standard clamp

MSRP:\$29.99USD · KR-CL ///



Pro Clamp

MSRP:\$39.99USD · KR-CLPRO ///



Wide Angle Clamp

MSRP:\$29.99USD · KR-CLW ///



Long Clamp

MSRP:\$39.99USD · KR-CLL ///



Ball to Ball Quick Disconnect

MSRP:\$42USD · KR-BBQD ///



Ball to YS Quick Disconnect

MSRP:\$42USD · KR-BMQD ///



ECA 12in-24in Extendable carbon arms

MSRP:\$75USD ///



ECA 18in-42in Extendable carbon arms

MSRP:\$99USD ///



Cold Shoe-Ball Base
MSRP:\$34.99USD



Cold Shoe-YS Base
MSRP:\$34.99USD



Ball Mount-Gopro adapter
MSRP:\$11.99USD



3" Ball Arm
MSRP:\$16USD



5" Ball Arm
MSRP:\$24USD



8" Ball Arm
MSRP:\$30USD



12" Ball Arm
MSRP:\$38USD



KR-FLEX01
MSRP:\$45USD

Loc Line-YS adapter
MSRP:\$8USD



GoPro 360 Adapter
MSRP:\$14.99USD

Cold shoe flex to YS mount
MSRP:\$44.99USD



3" YS Arm
MSRP:\$16USD



5" YS Arm
MSRP:\$24USD

8" YS Arm
MSRP:\$30USD

